

LITERATURE CITED

- Alongi DM (1988) Detritus in coral reef ecosystems: fluxes and fates. In: *Proc 6th Int Coral Reef Symp Publ 1*, 29-36
- Andrews JC, Muller HR (1983) Space-time variability of nutrients in a lagoonal patch reef. *Limnol Oceanogr* 28:215-227
- Arias-Gonzalez JE, Delesalle B, Salvat B, Galzin R (1997) Trophic functioning of the Tiahura reef sector, Moorea Island, French Polynesia. *Coral Reefs* 16: 231-246
- Atkinson MJ (1988) Are coral reefs nutrient-limited? *Proc 6th Int Coral Reef Symp*, Australia, 1:157-166
- Atkinson MJ, Smith SV (1983) C:N:P ratios of benthic marine plants. *Limnol Oceanogr* 28(3): 568-574
- Baird ME, Atkinson MJ (1997) Measurement and prediction of mass transfer to experimental coral reef communities. *Limnol Oceanogr* 42(8): 1685-1693
- Bell, PRF (1991) Status of eutrophication in the Great Barrier Reef Lagoon. *Marine Pollution Bulletin* 23: 89-93
- Belliveau SA, Paul VJ (2002) Effects of herbivory and nutrients on the early colonization of crustose coralline and fleshy algae. *Mar Ecol Prog Ser* 232: 105-114
- Boucher G, Clavier J, Garrigue C (1994) Estimation of bottom ammonium affinity in the New Caledonia lagoon. *Coral Reefs* 13:13-19
- Bruggemann JH, Begeman J, Bosma EM, Verburg P, Breeman AM (1994) Foraging by the stoplight parrotfish *Sparisoma viride*. II. Intake and assimilation of food, protein and energy. *Mar Ecol Prog Ser* 106:57-71
- Capone DG, Dunham SE, Horrigan SG, Dugay LE (1992) Microbial nitrogen transformations in unconsolidated coral reef sediments. *Mar Ecol Prog Ser* 80: 75-88
- Carpenter RC (1990) Mass mortality of *Diadema antillarum* I. Long-term effects on sea urchin population-dynamics and coral reef algae communities. *Mar Biol* 104: 67-77
- Carpenter RC, Williams SL (1993) Effects of algal turf canopy height and microscale substratum topography on profiles of flow speed in a coral reef environment. *Limnol Oceanogr* 38:687-694

- Chiappone M, Sullivan KM (1994) Ecological structure and dynamics of nearshore hard-bottom communities in the Florida Keys. Symposium on Florida Keys regional ecosystem. November 1992 *Bull Mar Sci* 54(3): 747-756
- Chiappone M, Swanson DW, Miller SL (2002) Density, spatial distribution and size structure of sea urchins in Florida Keys coral reef and hard-bottom habitats. *Mar Ecol Prog Ser* 235:117-126
- D'Elia CF, Webb KL, Porter JW (1981) Nitrate-rich groundwater inputs to Discovery Bay, Jamaica: A significant source of N to local reefs? *Bull of Mar Sci* 31: 903-910
- Delong EF, Franks DG, Alldredge AL (1993) Phylogenetic diversity of aggregate-attached vs. free-living marine bacterial assemblages. *Limnol Oceanogr* 38(5): 924-934
- Dustan, P; Halas, JC (1987) Changes in the reef-coral community of Carysfort Reef, Key Largo, Florida: 1974 to 1982. *Coral reefs* 6(2): 91-106
- Edmund PJ, Carpenter RC (2001) Recovery of *Diadema antillarum* reduces macroalgal cover and increases abundance of juvenile corals on a Caribbean reef. *Proc of the Nat Acad of Sci of the USA* 98:5067-5071
- Entsch B, Boto KG, Sim RG, Wellington JT (1983) Phosphorus and nitrogen in coral reef Sediments. *Limnol Oceanogr* 28(3):465-476
- Fong P, Donohoe RM, Zedler JB (1994) Nutrient concentration in tissue of the macroalga *Enteromorpha* as a function of nutrient history: an experimental evaluation using field microcosms. *Mar Ecol Prog Ser* 106(3): 273-281
- Fong P, Kamer K, Boyer KE, Boyle KA (2001) Nutrient content of macroalgae with differing morphologies may indicate sources of nutrients for tropical marine systems. *Mar Ecol Prog Ser* 220: 137-152
- Fong P, Kamer K, Boyer KE, Boyle KA (2003) Influence of initial tissue nutrient status of tropical marine algae on response to nitrogen and phosphorus additions. *Mar Ecol Prog Ser* 262: 111-123
- Galetto MJ, Bellwood DR (1994) Digestion of algae by *Stegastes nigricans* and *Amphiprion akindynos* (Pisces: Pomacentridae), with evaluation of methods used in digestibility studies. *J Fish Biol* 44:415-428
- Glynn PW, Szmant AM, Corcoran EF, Cofer-Shabica SV (1989) Condition of coral reef cnidarians from the northern Florida reef tract: Pesticides, heavy metals, and histopathological examination. *Marine Pollution Bulletin* 20(11): 568-576
- Gray JS (1985) Nitrogenous excretion by meiofauna from coral reef sediments: Mecor 5. *Marine Biology* 89(1): 31-35.

- Hallock, P; Talge, HK; Walton Smith, FG (1993) Symbiont loss ('bleaching') in the reef, dwelling benthic foraminifer *Amphistegina gibbosa* in the Florida keys in 1991-92. *Global aspects of coral reefs: Health, hazards and history* pp. V8-V14. 1993.
- Hansen JA, Klumpp DW, Alongi DM, Dayton PK, Riddle MJ (1992) Detrital pathways in a coral reef lagoon: II. Detritus deposition, benthic microbial biomass and production. *Mar Biol* 113: 363-372.
- Hatcher BG (1983) The role of detritus in the metabolism and secondary production of coral reef ecosystems. In: *Proc Great Barrier Reef Conf Publ 1*, pp 317-323
- Hay ME, Fenical W (1988) Marine plant-herbivore interactions: The ecology of chemical defense. *Annu Rev Ecol Syst* 19:111-145
- Hughes TP (1994) Catastrophes, phase shifts, and large-scale degradation of a Caribbean coral reef, *Science* 265:1547-1551
- Jaap WC, Hallock P (1990) Coral reefs (ecosystems of Florida, USA). *ECOSYSTEMS OF FLORIDA*. pp. 574-618
- Johnson CR, Klumpp DW, Field JG, Bradbury R (1995) Carbon flux on coral reefs: effects of large scale shifts in community structure. *Mar Ecol Prog Ser* 126:123-143
- Johnstone RW, Koop K, Larkum AWD (1990) Physical aspects of coral reef lagoon sediments in relation to detritus processing and primary production. *Mar Ecol Prog Ser* 66(3): 273-283
- Klumpp DW, Pulfrich A (1989) Trophic significance of herbivorous macroinvertebrates on the central Great Barrier Reef. *Coral Reefs* 8:135-144
- Koop K, Larkum AWD (1987) Deposition of organic material in a coral reef lagoon, One Tree Island, Great Barrier Reef. *Estuarine, Coastal and Shelf Science* 25(1): 1-9
- Koop K, Booth D, Broadbent A, Brodie J, Bucher D, Capone D, Coll J, Dennison W, Erdmann M, Harrison P, Hoegh-Guldberg O, Hutchings P, Jones GB, Larkum AWD, O'Neill J, Steven A, Tentori E, Ward S, Williamson J, Yellowlees D (2001) ENCORE: The effects of nutrient enrichment on coral reefs. Synthesis of results and conclusions. *Mar Poll Bul* 42:91-120.
- Kuffner IB, Paul VJ (2001) Effects of nitrate, phosphate and iron on the growth of macroalgae and benthic cyanobacteria from Cocos Lagoon, Guam. *Mar Ecol Prog Ser* 222: 63-72
- Lapointe BE (1997) Nutrient thresholds for bottom-up control of macroalgal blooms on coral reefs in Jamaica and southeast Florida. *Limnol Oceanogr* 45(5): 1119-1131

- Lapointe BE (2001) Nutrient over-enrichment of south Florida's coral reefs: how science and management failed to protect a national treasure. Opportunities and challenges for protecting, restoring and enhancing coastal habitats in the Bay of Fundy: *Proceedings of the 4th Bay of Fundy Science Workshop, Saint John, New Brunswick*, September 19-21, 2000 17:9-17
- Lapointe BE, O'Connell J (1989) Nutrient-enhanced growth of *Cladophora prolifera* in Harrington Sound, Bermuda: eutrophication of a confined, phosphorus-limited marine ecosystem. *Estuar. Coast. Shelf Sci* 28:347-360
- Lapointe BE, Clark MW (1991) Nutrient inputs from the watershed and coastal eutrophication in the Florida Keys. Couplings Between Watersheds and Coastal Waters. *5th International Congress of Ecology* 15(4): 465-476
- Lapointe BE, O'Connell J, Garrett GS (1990) Nutrient couplings between on-site sewage disposal systems, groundwaters, and nearshore surface waters of the Florida Keys. *Biogeochemistry* 10:289-307
- Lapointe BE, Matzie WR, Clark MW, Walton Smith FG (1993) Phosphorus inputs and eutrophication on the Florida reef tract. *Global aspects of coral reefs: Health, hazards and history*. pp. 106-112
- Larned ST (1998) Nitrogen-versus phosphorus-limited growth and sources of nutrients for coral reef macroalgae. *Mar Biol* 132:409-421
- Larned ST, Stimson J (1996) Nitrogen-limited growth in the coral reef chlorophyte *Dictyosphaeria cavernosa* and the effect of exposure to sediment-derived nitrogen on growth. *Mar Ecol Prog Ser* 145:95-108
- Lavery PS, McComb AJ (1991) Macroalgal-sediment nutrient interactions and their importance to macroalgal nutrition in a eutrophic estuary. *Estuarine, Coastal and Shelf Science* 32:281-295
- Lee, TN; Yoder, JA; Atkinson, LP (1991) Gulf Stream frontal eddy influence on productivity of the southeast U.S. Continental Shelf. *Journal of Geophysical Research. C. Oceans*. 96(C12):22,191-205,
- Lee, TN; Clarke, ME; Williams, E; Szmant, AF; Berger, T (1994) Evolution of the Tortugas Gyre and its influence on recruitment in the Florida Keys. *Bulletin of Marine Science* 54(3): 621-646
- Leichter JJ, Wing SR, Miller SL, Denny MW (1996) Pulsed delivery of subthermocline water to Conch Reef (Florida Keys) by internal tidal bores. *Limnol Oceanogr* 41(7): 1490-1501
- Leichter JJ, Shellenbarger G, Genovese SJ, Wing SR (1998) Breaking internal waves on a Florida (USA) coral reef: A plankton pump at work? *Mar Ecol Prog Ser* 166:83-97

- Lessios HA (1988) Mass mortality of *Diadema antillarum* in the Caribbean: What have we learned? *Annual Review of Ecology and Systematics* 19:371-393
- Lewis SM (1977) Processes of organic production on coral reefs. *Biol Rev* 52:302-347
- Lewis JB (1987) Measurements of groundwater seepage flux onto a coral reef: Spatial and temporal variations. *Limnol Oceanogr* 32(5):1165-1169
- Linley EAS, Koop K (1986) Significance of pelagic bacteria as a trophic resource in a coral reef lagoon, One Tree Island, Great Barrier Reef. *Mar Biol* 92(4):457-464
- Lirman D (2001) Competition between macroalgae and corals: effects of herbivore exclusion and increased algal biomass on coral survivorship and growth. *Coral Reefs* 19(4): 392-399
- Lirman D, Biber P (2000) Seasonal dynamics of macroalgal communities of the Northern Florida Reef Tract. *Botanica Marina* (4):305-314.
- Littler MM, Littler DS, Lapointe BE (1988) A comparison of nutrient- and light-limited photosynthesis in psammophytic versus epilithic forms of *Halimeda* (Caulerpales, Halimedaceae) from the Bahamas. *Coral Reefs* 6(3-4): 219-225
- McClanahan TR, Cokos BA, Sala E (2002) Algal growth and species composition under experimental control of herbivory, phosphorus and coral abundance in Glovers Reef, Belize. *Mar Pollut Bull* 44(6): 441-451.
- McCook LJ, Jompa J, DiazPulido G (2001) Competition between coral and algae on coral reefs: a review of evidence and mechanisms. *Coral Reefs* 19(4): 400-417
- Meier, OW; Porter, JW (1994) Long-term monitoring of Floridian coral reefs: Changes before and after Hurricane Andrew. *Bulletin of Marine Science*. 54(3): 1080-1081
- Meyer JL, Schultz ET (1985) Tissue condition and growth rate of corals associated with schooling fish. *Limnol Oceanogr* 30:157-166
- Miller MW, Hay ME (1996) Coral-seaweed-grazer-nutrient interactions on temperate reefs. *Ecological Monographs* 66(3):323-344
- Miller MW, Hay ME, Miller SL, Malone D, Sotka EE, Szmant AM (1999) Effects of nutrients versus herbivores on reef algae: A new method for manipulating nutrients on coral reefs. *Limnol Oceanogr* 44:1847-1861
- Naldi M, Wheeler PA (2002) ¹⁵N measurements of ammonium and nitrate uptake by *Ulva fenestrata* (Chlorophyta) and *Gracilaria pacifica* (Rhodophyta): comparison of net nutrient disappearance, release of ammonium and nitrate, and ¹⁵N accumulation in algal tissue. *J Phycol* 38: 135-144

- Paul, JH; Rose, JB; Brown, J; Shinn, EA; Miller, S; Farrah, SR (1995) Viral tracer studies indicate contamination of marine waters by sewage disposal practices in Key Largo, Florida. *Applied and Environmental Microbiology* 61(1): 2230-2234
- Paul, JH; Rose, JB; Jiang, S; Kellogg, C; Shinn, EA (1995) Occurrence of fecal indicator bacteria in surface waters and the subsurface aquifer in Key Largo, Florida. *Applied and Environmental Microbiology* 61(6): 2235-2241
- Pearl HW, Pinckney JL (1996) A mini-review of microbial consortia: their roles aquatic production and biogeochemical cycling. *Microbial Ecology* 31(3): 225-247
- Porter JW, Meier OW (1994) Assessing change in Floridian coral reefs. SYMPOSIUM ON FLORIDA KEYS REGIONAL ECOSYSTEM. NOVEMBER 1992. *Bulletin of Marine Science* 54(3):1082
- Purcell SW (1996) A direct method for assessing sediment load in epilithic algal communities. *Coral Reefs* 15:211-213
- Purcell SW, Bellwood DR (2001) Spatial patterns of epilithic algal and detrital resources on a windward coral reef. *Coral Reefs* 20:117-125
- Rader CN (2001) An examination of the infaunal invertebrate community with *Halimeda* spp. in Key Largo, FL. Honors paper (University of North Carolina at Wilmington, Department of Biology)
- Rosenberg, G; Ramus, J (1981) Ecological Growth Strategies in the Seaweeds *Gracilaria foliifera* (Rhodophyceae) and *Ulva* sp. (Chlorophyceae): The Rate and Timing of Growth. *Botanica Marina* 24(11): 583-589
- Rosenberg, G; Ramus, J (1982) Ecological Growth Strategies in the Seaweeds *Gracilaria foliifera* (Rhodophyceae) and *Ulva* sp. (Chlorophyceae): Soluble Nitrogen and Reserve Carbohydrates. *Marine Biology* 66(3): 251-259
- Ruttenberg KC (1992) Development of a sequential extraction method for different forms of phosphorus in marine sediments. *Limnol Oceanogr* 37(7):1460-1482
- Schaffelke B (1999) Particulate organic matter as an alternative nutrient source for tropical Sargassum species (Fucales, Phaeophyceae) *J Phycol* 35:1150-1157
- Szmant AM, Forrester A (1996) Water column and sediment nitrogen and phosphorus distribution patterns in the Florida Keys, USA. *Coral Reefs* 15: 21-41.
- Tanner JE (1995) Competition between scleractinian corals and macroalgae: an experimental investigation of coral growth, survival and reproduction. *J Exp Mar Biol Ecol* 190:151-168

- Taylor (1960) *Marine algae of the eastern tropical and subtropical coasts of the Americas*. University of Michigan Press. p. 663-800
- Thacker RW, Ginsburg DW, Paul VJ (2001) Effects of herbivore exclusion and nutrient enrichment on coral reef macroalgae and cyanobacteria. *Coral Reefs* 19: 318-329
- Tyler AC, McGlathery KJ, Anderson IC (2003) Benthic algae control sediment-water column fluxes of organic and inorganic nitrogen compounds in a temperate lagoon. *Limnol Oceanogr* 48(6): 2125-2137
- Vroom PS, Smith CM, Coyer JA, Walters LJ, Hunter CL, Beach KS, Smith JE (2003) Field biology of *Halimeda tuna* (Bryopsidales, Chlorophyta) across a depth gradient: comparative growth, survivorship, recruitment, and reproduction. *Hydrobiologia* 501(1-3): 149-166
- Walters LJ, Smith CM, Coyer JA, Hunter CL, Beach KS, Vroom PS (2002) Asexual propagation in the coral reef macroalga *Halimeda* (Chlorophyta, Bryopsidales): Production, dispersal, and attachment of small fragments. *J Exp Mar Biol Ecol* 278(1): 47-65
- Ward, BB (1990) Kinetics of ammonia oxidation by a marine nitrifying bacterium: Methane as a substrate analogue. *Microbial ecology* 19(3): 211-225
- Wetzel RG (1993) Microcommunities and microgradients: linking nutrient regeneration, microbial mutualism, and high sustained aquatic primary production. *Netherlands Journal of Aquatic Ecology*. 27(1): 3-9
- Williams SL, Gill IP, Yarish SM (1985) Nitrogen cycling in backreef sediments (St. Croix, U.S. Virgin Islands). *Proc 5th Int Coral Reef Symp, Tahiti* 4:389-394
- Williams SL, Carpenter RC (1988) Nitrogen-limited primary productivity of coral reef algal turfs: potential contribution of ammonia excreted by *Diadema antillarum*. *Mar Ecol Prog Ser* 47:145-152