

References

- Abbot, D.P., Newberry, A.T., Morris, K.M., 1997. 6B: Ascidians (Urochordata). In: Abbot, D.P., Newberry, A.T., Morris, K.M. (Eds.), *Reef and shore fauna of Hawaii*. Bishop Museum Press, Honolulu, HI.
- Anderson, R.S., 1971. Cellular responses to foreign bodies in the tunicate *Morgula manhattensis* (DeKay). *Biol. Bull.* 141, 91-98.
- Azumi, K., Yokosawa, H., Ishii, S., 1990. Presence of 3, 4-dihydroxyphenylalanine-containing peptides in hemocytes of the ascidian, *Halocynthia roretzi*. *Experientia* 46, 1020-1023.
- Bakus, G.J., Targett, N.M., Schulte, B., 1986. Chemical ecology of marine organisms: An overview. *J. Chem. Ecol.* 12(5), 951-987.
- Barceloux, D.G., 1999. Vanadium. *J. Toxicol. Clin. Toxicol.* 37(2), 265-283.
- Bayer, E., Schiefer, G., Waidelich, D., Scippa, S., de Vicentiis, M., 1992. Structure of the tunichrome of tunicates and its role in concentrating vanadium. *Angew. Chem. Int. Ed. Engl.* 31(1), 52-54.
- Berquist, R.P., Bedford, J.J., 1978. The incidence of antibacterial activity in marine Demospongiae: systematic and geographic considerations. *Mar. Biol.* 46, 215-221.
- Bertrand, D., 1950. Survey of contemporary knowledge of biogeochemistry. 2. The biogeochemistry of vanadium. *Bull. Am. Mus. Nat. Hist.* 94, 403-456.
- Bielig, H.-J., Bayer, E., Dell, H.-D., Rhons, G., Mollinger, H., Rudiger, W., 1966. Chemistry of hemovanadin. *Protides Biol. Fluid Proc. Colloq.* 14, 197-204.
- Boeri, E., Ehrenberg, A., 1954. On the nature of vanadium in vanadocyte hemolyzate from ascidians. *Arch. Biochem. Biophys.* 50, 404-416.
- Botte, L., Scippa, S., de Vicentiis, M., 1979. Ultrastructural location of vanadium in the blood cells of Ascidiacea. *Experientia* 35(9), 1228-1230.
- Brand, S.G., Hawkins, C.J., Marshall, A.T., Nette, G.W., Parry, D.L., 1989. Vanadium chemistry of ascidians. *Comp. Biochem. Phys.* 93B(2), 425-436.
- Bruening, R.C., Oltz, E.M., Furukawa, J., Nakanishi, K., 1985. Isolation of tunichrome B-1, a reducing blood pigment of the sea squirt, *Ascidia nigra*. *J. Nat. Prod.* 49(2), 193-204.
- Carlisle, D.B., 1958. Niobium in ascidians. *Nature* 4613, 933.
- Carlisle, D.B. 1968. Vanadium and other metals in ascidians. *Proc. R. Soc. Lond., Ser. B: Biol. Sci.* 171, 31-42.

- Carlson, R.M.K., 1975. Nuclear magnetic resonance spectrum of living tunicate blood cells and the structure of the native vanadium chromogen. Proc. Natl. Acad. Sci. 72(6), 2217-2221.
- Chanas, B., Pawlik, J.R., 1995. Defenses of Caribbean sponges against predatory reef fish. II. Spicules, tissue toughness, and nutritional quality. Mar. Ecol. Prog. Ser. 127, 195-211.
- Chanas, B., Pawlik, J.R., 1996. Does the skeleton of a sponge provide a defense against predatory reef fish? Oecologia 107, 225-231.
- Cheney, M.A., Berg, J.R., Swinehart, J.H., 1997. The uptake of vanadium (V) and other metals by the isolated branchial sacs of the ascidian *Acidia ceratodes*, *Ciona intestinalis*, and *Styela montereyensis*. Comp. Biochem. Phys. 116C(2), 149-153.
- Ciereszko, L.S., Ciereszko, E.M., Harris, E.R., Lane, C.A., 1963. Vanadium content of some tunicates. Comp. Biochem. Phys. 8, 137-140.
- Cooper, S.R., Koh, Y.B., Raymond, K.N., 1982. Synthetic, structural, and physical studies of bis(triethylammonium) tris(catecholato) vanadate(IV), potassium bis(catecholato) oxovanadate(IV), and potassium tris(catecholato) vanadate(III). J. Am. Chem. Soc. 104, 5092-5102.
- Dafnis, E., Sabatini, S., 1994. Biochemistry and pathophysiology of vanadium. Nephron 67, 133-143.
- Danskin, G.P., 1978. Accumulation of heavy metals by some solitary tunicates. Can. J. Zool. 56, 547-551.
- Davis, A.R., Wright, A.E., 1989. Interspecific differences in fouling of two congeneric ascidians (*Eudistoma olivaceum* and *E. capsulatum*): is surface acidity an effective defense? Mar. Biol. 102, 491-497.
- De Leo, G., Patricolo, E., Frittitta, G., 1981. Fine structure of the tunic of *Ciona intestinalis* L. II. Tunic morphology, cell distribution and their functional importance. Acta Zool. (Stockh.) 62(4), 259-271.
- Dingley, A.L., Kustin, K., Macara, I.G., McLeod, G.C., Roberts, M.F., 1982. Vanadium-containing tunicate blood cells are not highly acidic. Biochim. Biophys. Acta 720, 384-389.
- Domingo, J.L., 1996. Vanadium: A review of the reproductive and developmental toxicity. Reprod. Toxicol. 10(3), 175-182.
- Dworjanyn, S.A., De Nys, R., Steinberg, P.D., 1999. Localisation and surface quantification of secondary metabolites in the red alga *Delisea pulchra*. Mar. Biol. 102, 491-497.

- Dyrynda, P.E.J., 1986. Defensive strategies of modular organisms. *Philos. Trans. R. Soc. Lond. (B) Biol. Sci.* 313, 227-243.
- Endean, R., 1955a. Studies of the blood and tests of some Australian ascidians. I. The blood of *Pyura stolonifera* (Heller). *Aust. J. Mar. Freshw. Res.* 6, 35-59.
- Endean, R., 1955b. Studies of the blood and tests of some Australian ascidians. II. The test of *Pyura stolonifera* (Heller). *Aust. J. Mar. Freshw. Res.* 6, 139-156.
- Endean, R., 1955c. Studies of the blood and tests of some Australian ascidians. III. The formation of the test of *Pyura stolonifera* (Heller). *Aust. J. Mar. Freshw. Res.* 6, 157-164.
- Endean, R., 1960. The blood and cells of the ascidian, *Phallusia mamillata*. *Q. J. Microsc. Sci.* 101, 177-197.
- Endean, R., 1961. The test of the ascidian, *Phallusia mamillata*. *Q. J. Microsc. Sci.* 102, 107-117.
- Frank, P., Carlson, R.M.K., Hodgson, K.O., 1986. Vanadyl EPR as a noninvasive probe of pH in intact vanadocytes from *Ascidia ceratodes*. *Inorg. Chem.* 25, 470-478.
- Frank, P., Hodgson, K.O., Kustin, K., Robinson, W.E., 1998. *J. Biol. Chem.* 38, 24498-24503.
- Frank, P., Hedman, B., Hodgson, K.O., 1999. Sulfur allocation and vanadium-sulfate interactions in whole blood cells from the tunicate *Ascidia ceratodes*, investigated using x-ray absorption spectroscopy. *Inorg. Chem.* 38, 260-270.
- Frank, P., Robinson, W.E., Kustin, K., Hodgson, K.O., 2001. Unprecedented forms of vanadium observed within the blood cells of *Phallusia nigra* using K-edge x-ray absorption spectroscopy. *J. Inorg. Biochem.* 86, 635-648.
- Frank, P., Carlson, R.M.K., Carlson, E.J., Hodgson, K.O., 2003. Medium-dependence of vanadium K-edge X-ray absorption spectra with application to blood cells from phlebobranch tunicates. *Coord. Chem. Rev.* 237(1-2), 31-39.
- Goldberg, E.D., McBlair, W., Taylor, K.M., 1951. The uptake of vanadium by tunicates. *Biol. Bull.* 101, 84-94.
- Goodbody, I., 1962. A biology of *Ascidia nigra* (Savigny). I. Survival and mortality in an adult population. *Biol. Bull.* 122, 40-51.
- Goodbody, I., 1974. The physiology of ascidians. In: Russel, F. S., Yonge, M., (Eds.), *Advances in Marine Biology*, Academic Press, New York, NY, pp. 1-149.
- Goodbody, I., 1993. The ascidian fauna of a Jamaican lagoon: Thirty years of change. *Rev. Biol. Trop.* 41, 35-38.

- Harvel, C.D., Fenical, W., 1989. Chemical and structural defenses of Caribbean gorgonians (*Pseudopterogorgia* spp.): intracolony localization of defense. Limnol. Oceanogr. 34, 382-389.
- Hawkins, C.H., Kott, P., Parry, D.L., Swinehart, J.H., 1983. Vanadium content and oxidation state as related to ascidian phylogeny. Comp. Biochem. Phys. 76B, 555-558.
- Hecht, S., 1918. Physiology of *Ascidia atra*. III. Blood system. Am. J. Physiol. 45, 157-
- Henze, M., 1911. Untersuchungen über das Blut der Ascidien. I. Die Vanadiumbildung der Blutkörperchen (In German). Hoppe Seylers Z. Physiol. Chem. 72, 494.
- Hernández-Zanuy, A.C., Carballo, J.L., 2001. Distribution and abundance of ascidian assemblages in Caribbean reef zones of the Golfo de Batabanó (Cuba). Coral Reefs 20, 159-162.
- Hirose, E., 1999. Pigmentation and acid storage in the tunic: protective functions of the tunic cells in the tropical ascidian *Phallusia nigra*. Invert. Biol. 118(4), 414-422.
- Hirose, E., Ishii, T., Saito, Y., Taneda, Y., 1994. Phagocytic activity of tunic cells in the colonial ascidian *Aplidium yamazii* (Polyclinidae, Aplousobranchia): morphology, classification, and possible functions. Zool. Sci. 11, 737-743.
- Hirose, E., Taneda, Y., Ishii, T., 1997. Two modes of tunic cuticle formation in a colonial ascidian *Aplidium yamazii*, responding to wounding. Dev. Comp. Immunol. 21(1), 25-34.
- Hirose, E., Yamashiro, H., Mori, Y., 2001. Properties of tunic acid in the ascidian *Phallusia nigra* (Asciidiidae, Phlebobranchia). Zool. Sci. 18, 309-314.
- Jenkins, K.M., Jensen, P.R., Fenical, W., 1998. Bioassay with marine organisms: Part II. In: Haynes, K., Millar, J.C. (Eds.), Methods in chemical ecology. Marine microbial chemical ecology. Chapman and Hall, New York, NY.
- Jensen, P.R., Harvell, C.D., Wirtz, K., Fenical, W., 1996. Antimicrobial activity of extracts of Caribbean gorgonian corals. Mar. Biol. 125, 411-419.
- Kelly, S.R., Jensen, P.R., Henkel, T.P., Pawlik, J.R., 2002. Effects of Caribbean sponge extracts on bacterial attachment. Aquat. Microb. Ecol. (submitted).
- Kokubu, N., Hidaka, T., 1965. Tantalum and niobium in ascidians. Nature 205, 1028-1029.
- Kuehne, S., 1997. Solitary ascidians in the Potter Cove (King George Island, Antarctica): Their ecological role and population dynamics. Ber. Polarforschung 252(1-8), 1-153.

- Kustin, K., Levine, D.S., McLeod, G.C., Curby, W.A., 1976. The blood of *Ascidia nigra*: blood cell frequency distribution, morphology, and the distribution and valence of vanadium in living blood cells. Biol. Bull. 150, 426-441.
- Kustin, K., Robinson, W.E., 1995. 15. Vanadium transport in animal systems. In: Sigel, H., Sigel, A. (Eds.), Vanadium and its role for life, metal ions in biological systems, Vol. 31. Marcel Dekker, New York, NY, pp. 511-542.
- Lambert, G., Lambert, C.C., 1987. Spicule formation in the solitary ascidian, *Herdmania momus*. J. Morph. 192, 145-159.
- Levine, E.P., 1961. Occurrence of titanium, vanadium, chromium, and sulfuric acid in the ascidian *Eudistoma ritteri*. Science 133, 1352-1353.
- Lindquist, N., Hay, M.E., Fenical, W., 1992. Defense of ascidians and their conspicuous larvae: adult vs. larval chemical defenses. Ecol. Mono. 62(4), 547-568.
- Macara, I.G., McLeod, G.C., Kustin, K., 1979. Tunichromes and metal ion accumulation in tunicate blood cells. Comp. Biochem. Physiol. 63B, 299-302.
- Meier, R., Boddin, M., Mitzenheim, S., Kanamori, K., 1995. 2. Solution properties of vanadium(III) with regard to biological systems. In: Sigel, H., Sigel, A. (Eds.), Vanadium and its role for life, metal ions in biological systems, Vol. 31. Marcel Dekker, New York, NY, pp. 45-88.
- Mertz, W., 1981. The essential trace elements. Science 213, 1332-1338.
- Michibata, H., Hirata, J., Uesaka, M., Numakunai, T., Sakurai, H., 1987. Separation of vanadocytes: determination and characterization of vanadium ion in the separated blood cells of the ascidian *Ascidia ahodori*. J. Exp. Zool. 244, 33-38.
- Michibata, H., Iwata, Y., Hirata, J., 1991. Isolation of highly acidic and vanadium-containing blood cells from among several types of blood cell from ascidiidae species by density-gradient centrifugation. J. Exp. Zool. 257, 306-313.
- Michibata, H., Uyama, T., 1990. Extraction of a vanadium-binding substance (Vanadobin) from a sub population of signet ring cells newly identified as vanadocytes in ascidians. J. Exp. Zool. 254, 132-137.
- Michibata, H., Uyama, T., Hirata, J., 1990. Vanadium containing blood cells (Vanadocytes) show no fluorescence due to the tunichrome in the ascidian *Ascidia sydneiensis samea*. Zool. Sci. 7, 55-61.
- Michibata, H., Uyama, T., Ueki, T., Kanamori, K., 2002. Vanadocytes, cells hold the key to resolving the highly selective accumulation and reduction of vanadium in ascidians. Microsc. Res. Techniq. 56, 421-434.

- Michibata, H., Yamaguchi, N., Uyama, T., Ueki, T., 2003. Molecular approaches to the accumulation and reduction of vanadium by ascidians. *Coord. Chem. Rev.* 237, 41-51.
- Newbold, R.W., Jensen, P. R., Fenical, W., Pawlik, J. R., 1999. Antimicrobial activity of Caribbean sponge extracts. *Aquat. Microb. Ecol.* 19, 279-284.
- Oakley, H.J., Owens, L., 2000. A new bacteriophage, VHML, isolated from a toxin-producing strain of *Vibrio harveyi* in tropical Australia. *J. App. Microbiol.* 89, 702-709.
- Oltz, E.M., Bruening, R.C., Smith, M.J., Kustin, K., Nakanishi, K., 1988. The tunichromes. A class of reducing blood pigments from sea squirts: isolation, structure and vanadium chemistry. *J. Am. Chem. Soc.* 110, 6162-6172.
- Oltz, E.M., Pollack, S., Delohery, T., Smith, M.J., Ojika, M., Lee, S., Kustin, K., Nakanishi, K., 1989. Distribution of tunichrome and vanadium in sea squirt blood cells sorted by flow cytometry. *Experientia* 45, 186-190.
- O'Neal, W., Pawlik, J.R., 2002. A reappraisal of the chemical and physical defenses of Caribbean gorgonian corals against predatory fishes. *Mar. Ecol. Prog. Ser.* 240, 117-126.
- Opresko, D.W., 1991. Toxicity summary for vanadium and vanadium compounds. Chemical Hazard Evaluation and Communication Group, Biomedical and Environmental Information Analysis Section, Health and Safety Research Division, Oak Ridge National Laboratory, Oak Ridge, Tennessee, Prepared for: Oak Ridge Reservation Environmental Restoration Program, http://risk.lsd.ornl.gov/tox/profiles/vanadium_f_V1.shtml#t2
- Parry, D.L., 1984. Chemical properties of the test of ascidians in relation to predation. *Mar. Ecol. Prog. Ser.* 17, 279-282.
- Pawlik, J.R., Kernan, M.R., Molinski, T.F., Harper, M.K., Faulkner, D.J. 1988. Defensive chemicals of the Spanish Dancer nudibranch, *Hexabranchus sanguineus*, and its egg ribbons: macrolides derived from a sponge diet. *J. Exp. Mar. Biol. Ecol.* 119, 99-109.
- Pawlik, J.R., 1993. Marine invertebrate chemical defenses. *Chem. Rev.* 93, 1911-1922.
- Pawlik, J.R., Chanas, B., Toonen, R. J., Fenical, W., 1995. Defenses of Caribbean sponges against predatory reef fish: I. Chemical deterrency. *Mar. Ecol. Prog. Ser.* 127, 183-194.
- Pisut, D.P., Pawlik, J.R., 2002. Anti-predatory chemical defenses of ascidians: Secondary metabolites or inorganic acids? *J. Exp. Mar. Bio. Ecol.* 207, 203-214.
- Rehder, D., 1992. Structure and function of vanadium compounds in living organisms. *Biometals* 5, 3-12.

- Rehder, D., 1995. 2. Inorganic considerations on the function of vanadium in biological systems. In: Sigel, H., Sigel, A. (Eds.), Vanadium and its role for life, metal ions in biological systems, Vol. 31. Marcel Dekker, New York, NY, pp. 1-43.
- Rehder, D., 1999. The coordination chemistry of vanadium as related to its biological functions. *Coord. Chem. Rev.* 182, 297-322.
- Renouf, L.P.W., 1937. Invertebrates, Porifera and Tunicata in particular as reef builders in the south coast of Cork. *Festschrift Embrik Strand* 3, 50-54.
- Rezayeva, L.T., 1964. Vanadium valency state in blood cells of *Ascidia aspersa* (In Russian, with English summary). *Zh. Obshch. Biol.* 25, 347-356.
- Rummel, W., Bielig, H.-J., Forth, W., Pfleger, K., Rüdiger, W., Seifen, E., 1966. Absorption and accumulation of vanadium by tunicates. *Protides Biol. Fluids Proc. Colloq.* 14, 205-210.
- Sahade, R., Tatian, M., Kowalke, J., Kuehne, S., Esnal, G.B., 1998. Benthic faunal association of soft substrates at Potter Cove, King George Island, Antarctica. *Polar Biol.* 19(2), 85-91.
- Schupp, P., Eder, C., Proksch, P., Wray, V., Schneider, B., Herderich, M., Paul, V., 1999. Staurosporine derivatives from the ascidian *Eudistoma toealensis* and its predatory flatworm *Pseudoceros* sp. *J. Nat. Prod.* 62(7), 959-962.
- Selbin, J., 1966. Oxovanadium(IV) complexes. *Coord. Chem. Rev.* 1(3), 293-314.
- Shea, C., Lovelace, L.J., Smith-Somerville, H.E., 1995. *Deleya marina* is a model organism for studies of bacterial colonization and biofilm formation. *J. Ind. Microbiol.* 15(4), 290-296.
- Smith, M J., Dehnel, P.A., 1970. The chemical and enzymatic analyses of the tunic of the ascidian *Halocynthia aurantium* (Pallas). *Comp. Biochem. Physiol.* 35, 17-30.
- Smith, M J., Dehnel, P.A., 1971. The composition of tunic from four species of ascidians. *Comp. Biochem. Physiol.* 40B, 615-622.
- Sparks, A.K., 1985. Synopsis of invertebrate pathology, exclusive of insects. Elsevier, New York, NY.
- Stoecker, D., 1978. Resistance of a tunicate to fouling. *Biol. Bull.* 155, 615-626.
- Stoecker, D., 1980a. Relationships between chemical defense and ecology in benthic ascidians. *Mar. Ecol. Prog. Ser.* 3, 257-265.
- Stoecker, D., 1980b. Chemical defenses of ascidians against predators. *Ecology* 61(6), 1327-1334.

- Swinehart, J.H., Biggs, W. R., Halko, D.J., Schroeder, N.C., 1974. The vanadium and selected metal contents of some ascidians. *Biol. Bull.* 146, 302-312.
- Taylor, S.W., Bayer, E. 1997. New perspectives in the chemistry and biochemistry of the tunichromes and related compounds. *Chem. Rev.* 97, 333-346.
- Taylor, S.W., Hawkins, C.J., Parry, D.L., Swinehart, J.H., Hanson, G.R., 1994. Vanadium in ascidians: changes in vanadium coordination state upon cell lysis. *J. Inorg. Biochem.* 56, 97-116.
- Taylor, S.W., Kammerer, B., Nicholson, G.J., Pusecker, K., Walk, T., Bayer, E., Scippa, S., de Vincentiis, M., 1997. Morulin Pm: A modified polypeptide containing TOPA and 6-bromotryptophan from the morula cells of the ascidian, *Phallusia mammillata*. *Arch. Biochem. Biophys.* 348(2), 278-288.
- Thompson, T.E., 1960. Defensive acid-secretion in marine gastropods. *J. Mar. Biol. Assoc. U.K.* 39, 499-517.
- Thompson, T.E., 1988. Acidic allomones in marine organisms. *J. Mar. Biol. Assoc. U.K.* 68, 115-122.
- Van Alstyne, K.L., McCarthy, J.J., Hustead, C.L., Kearns, L.J., 1999. Phlorotannin allocation among tissues of Northeastern Pacific kelps and rockweeds. *J. Phycol.* 35, 483-492.
- Vasseur, P., 1977. Cryptic sessile communities in various coral formations on reef flats in Tukar vicinity (Madagascar). In: Proceedings of the 3rd International Coral Reef Symposium, (Biology), Miami, FL.
- Wahl, M., Jensen, P.R., Fenical, W., 1994. Chemical control of bacterial epibiosis on ascidians. *Mar. Ecol. Prog. Ser.* 110, 45-57.
- Wardrup, A.B., 1970. The structure and formation of the test of *Pyura stolonifera* (Tunicata). *Protoplasma* 70, 73-86.
- Webb, D.A., 1939. Observations on the blood of certain ascidians, with special reference to the biochemistry of vanadium. *J. Exp. Biol.* 16, 499-523.
- Webb, D.A., 1956. The blood of tunicates and the biochemistry of vanadium. *Publ. Staz. Zool. Napoli* 28, 273-288.
- Zangerl, A.R., Rutledge, C.E., 1996. The probability of attack and patterns of constitutive and induced defense: a test of optimal defense theory. *Am. Nat.* 147, 599-607.
- Zar, J.H., 1984. Biostatistical analysis. 2nd ed. Prentice-Hall, Englewood Cliffs, CA.