

REFERENCES

- Aiken, G. R., D. M. McKnight, et al. (1985). Humic Substances in Soil, Sediment, and Water. Geochemistry, Isolation, and Characterization. New York, John Wiley & Sons.
- Alvarez-Salgado, X. A. and A. E. J. Miller (1998). "Simultaneous determination of dissolved organic carbon and total dissolved nitrogen in seawater by high temperature catalytic oxidation: conditions for precise shipboard measurements." Marine Chemistry 62: 325-333.
- Amador, J. A., P. J. Milne, et al. (1990). "Extraction of Chromophoric Humic Substances from Seawater." Marine Chemistry 29: 1-17.
- Baker, A. (2001). "Fluorescence Excitation-Emission Matrix Characterization of Some Sewage-Impacted Rivers." Environmental Science and Technology 35(5): 948-953.
- Blough, N. V. and S. A. Green (1995). Spectroscopic Characterization and Remote Sensing of Nonliving Organic Matter. Role of Nonliving Organic Matter in the Earth's Carbon Cycle. R. G. Z. a. C. Sonntag, John Wiley & Sons Ltd.
- Chien, Y. and W. F. Bleam (1998). "Two-Dimensional NOESY Nuclear Magnetic Resonance Study of pH-Dependent Changes in Humic Acid Conformation in Aqueous Solution." Environmental Science and Technology 32(23): 3653-3658.
- Coble, P. G. (1996). "Characterization of marine and terrestrial DOM in seawater using excitation-emission matrix spectroscopy." Marine Chemistry 51: 325-346.
- Coble, P. G. and M. M. Brophy (1994). "Investigation of the geochemistry of dissolved organic matter in coastal waters using optical properties." Ocean Optics XII 2258: 377-389.
- Coble, P. G., C. E. Del Castillo, et al. (1998). "Distribution and optical properties of CDOM in the Arabian Sea during the 1995 Southwest Monsoon." Deep-Sea Research II 45: 2195-2223.
- Coble, P. G., C. Schultz, et al. (1993). "Fluorescence contouring analysis of DOC Intercalibration Experiment samples: a comparison of techniques." Marine Chemistry 41: 173-178.
- Cook, R. L. and C. H. Langford (1998). "Structural Characterization of a Fulvic Acid and a Humic Acid Using Solid-State Ramp-CP-MAS ¹³C Nuclear Magnetic Resonance." Environmental Science and Technology 32(5): 719-725.

- Decesari, S., M. C. Facchini, et al. (2002). "Water soluble organic compounds formed by oxidation of soot." Atmospheric Environment 36: 1827-1832.
- Del Castillo, C. E., P. G. Coble, et al. (1999). "Analysis of the optical properties of the Orinoco River plume by absorption and fluorescence spectroscopy." Marine Chemistry 66: 35-51.
- Del Vecchio, R. and N. V. Blough (2002). "Photobleaching of chromophoric dissolved organic matter in natural waters: kinetics and modeling." Marine Chemistry 78: 231-253.
- Ferrari, G. M. and M. Mingazzini (1995). "Synchronous fluorescence spectra of dissolved organic matter (DOM) of algal origin in marine coastal waters." Marine Ecology Progress Series 125: 305-315.
- Gamble, D. S., H. Schnitzer, et al. (1983). "Multi metal ion exchange Equilibria with humic acid." Geochimica et Cosmochimica Acta 47(7): 1311-1323.
- Haiber, S., H. Herzog, et al. (2001). "Two-Dimensional NMR Studies of Size Fractionated Suwannee River Fulvic and Humic Acid Reference." Environmental Science and Technology 35(21): 4289-4294.
- Harvey, G. R., D. A. Boran, et al. (1983). "The Structure of Marine Fulvic and Humic Acids." Marine Chemistry 12: 119-132.
- Harvey, G. R., D. A. Boran, et al. (1984). "Synthesis of marine humic substances from unsaturated lipids." Letters To Nature 309: 244-246.
- Holmes, R. M., A. Aminot, et al. (1999). "A simple and precise method for measuring ammonium in marine and freshwater ecosystems." Can. J. Fish. Aquat. Sci. 56: 1801-1808.
- Kalle, K. (1949). "Fluoreszenz und Gelbstoffe im Bottnischen und Finnischen Meerbusen." Deutsche Hydrographische Zeitschrift 2: 9-124.
- Kawakubo, S. and M. Iwatsuki (2000). "Speciation of Iron in Rain Water by Size Fractionation, Acid Decomposition, Acid Extraction and Catalytic Determination." Analytical Sciences 16: 945-949.
- Kieber, R. J., L. H. Hydro, et al. (1997). "Photooxidation of triglycerides and fatty acids in seawater: Implication toward the formation of marine humic substances." Limnology and Oceanography 42(6): 1454-1462.
- Kieber, R. J., J. D. Willey, et al. (2002). "Chromium Speciation in Rainwater: Temporal Variability and Atmospheric Deposition." Environmental Science and Technology 36(24): 5321-5327.

- Kieber, R. J., X. Zhou, et al. (1990). "Formation of carbonyl compounds from UV-induced photodegradation of humic substances in natural waters: Fate of riverine carbon in the sea." Limnology and Oceanography 35(7): 1503-1515.
- Kiss, G., E. Tombacz, et al. (2003). "estimation of the average molecular weight of humic-like substances isolated from fine atmospheric aerosol." Atmospheric Environment 37: 3783-3794.
- Krivacsy, Z., G. Kiss, et al. (2000). "Study of humic-like substances in fog and interstitial aerosol by size-exclusion chromatography and capillary electrophoresis." Atmospheric Environment 34: 4273-4281.
- Kuo, C. Y., T. C. Hung, et al. (1993). "Extraction, isolation, and purification of humic substances." Bull. Inst. Chem. Acad. Sin. 40: 91-103.
- Mayer, L. M., L. L. Schick, et al. (1999). "Dissolved protein fluorescence in two Marine estuaries." Marine Chemistry 64: 171-179.
- Merriam, J., W. H. McDowell, et al. (1996). "A High-Temperature Catalytic Oxidation Technique for Determining Total Dissolved Nitrogen." Journal of Soil Sci. Soc. Am. 60(July-August): 1050-1055.
- Miles, C. J. and P. L. Brezonik (1981). "Oxygen Consumption in Humic-Colored Waters by a Photochemical Ferrous-Ferric Catalytic Cycle." Environmental Science and Technology 15(9): 1089-1095.
- Mopper, K. and C. Schultz (1993). "Fluorescence as a possible tool for studying the nature and water column distribution of DOC components." Marine Chemistry 41: 229-238.
- Morelli, E., F. Puntoni, et al. (1993). "Fluorescence Characteristics of Reverse Phase HPLC Fractionated Marine Organic Matter." Environmental Technology 14: 941-948.
- Nissenbaum, A. and I. R. Kaplan (1972). "Chemical And Isotopic Evidence For The Origin Of Marine Humic Substances." Limnology and Oceanography 17(4): 570-580.
- Novak, J. M., P. M. Bertsch, et al. (1992). "Carbon-13 Nuclear Magnetic Resonance Spectra of Soil Water-Soluble Organic Carbon." Journal of Environmental Quality 21(4): 537-539.
- Rudich, Y. (2003). Laboratory Perspectives on the Chemical Transformations of Organic Matter in Atmospheric Particles. Chemical Reviews: 1-26.

Suzuki, Y., M. Kawakami, et al. (2001). "¹H NMR Application for Characterizing Water-Soluble Organic Compounds in Urban Atmospheric Particles." Environmental Science and Technology 35(31): 2656-2664.

Thorn, K. A. and M. A. Mikita (1992). "Ammonia fixation by humic substances: a nitrogen-15 and carbon-13 NMR study." The Science of the Total Environment 113: 67-87.

Werner, M. H. (1994). Bruker Avance User's Guide. Fallanden, Switzerland: 1-165.

Willey, J. D., R. J. Kieber, et al. (2000). "Rainwater dissolved organic carbon: Concentrations and global flux." Global Biogeochemical cycles 14(1): 139-148.